

PVC-free rigid floor



for clicking & gluing

NUVA

CERAMIN®

NUVA



ULTIMATE
DIMENSIONAL
STABILITY



FAST
INSTALLATION



SILENT
FLOOR



HEAVY
COMMERCIAL



FIRE
RESISTANT



100%
RECYCLABLE

PVC-free rigid floor
for **CLICKING** and **GLUING**



01

_INTRODUCTION

Floors for a better tomorrow**06**

02

_DESIGN

Precisely designed**08**
_ High performance digital printing_**09**
Interior trends**10**

03

_HEALTHY LIVING

Sustainable with no sacrifices**14**
The future of flooring starts with CERAMIN**15**
Healthy living**16**

04

_FEATURES

Aesthetics meets maximum functionality**18**
Plank composition clicking and gluing**20**
An alliance of a lifetime**22**
Bring on the water**23**

05

_NUVA

Next generation CERAMIN**24**
Clicking and Gluing: Our plank sizes**26**
Collection **ESSENTIAL****28**
Collection **ETERNAL****46**
Collection **SELECTED****74**
Collection **HERRINGBONE****102**
Collection **ROCK****118**
Collection overview**142**

06

_TECHNOLOGY

Installation: Clicking or gluing**146**
High-Class clicking installation systems**147**
CERAMIN Flex - Professional gluing installation system**148**
Selection guide**150**
Technical data clicking**152**
Technical data gluing**154**

07

_SERVICE

Our expertise**156**

01_INTRODUCTION

_FLOORS FOR A BETTER TOMORROW

As a leading German manufacturer of wall and floor coverings, CLASSEN stands for technological leadership and sustainability. True to the company slogan, around 2,000 employees worldwide are committed to a sustainable future in all areas of the value chain. With great passion and expertise, they achieve outstanding results - from the conservation of resources and the long life cycle to the complete recycling of healthy-living wall and floor coverings.

CLASSEN deliberately avoids the use of chlorine, PVC and plasticisers in its healthy-living CERAMIN®-based wall and floor coverings. With CERAMIN, CLASSEN has developed a material that consists largely of recycled plastics and is 100 per cent recyclable. In this way, CLASSEN makes an exemplary contribution to the circular economy.



02_DESIGN

_PRECISELY DESIGNED

The CLASSEN Design Centre at our headquarters in Kaisersesch is the creative centre of our entire company. This is where all decors are carefully conceived, developed and designed by hand. Our designers collect ideas from all over the world's beautiful natural surroundings and bring them to your home.

From visiting the nearby oak forest to processing the wood in our workshop and scanning the designs with our high-performance scanner, the design development process is sometimes hard work until the desired result and quality are achieved.



_HIGH PERFORMANCE DIGITAL PRINTING

In contrast to traditional printing processes, digital printing enables fast and flexible production. The printing technology offers outstanding print quality and ensures brilliant colours and razor-sharp details. Modern digital printing processes are not only efficient, but also environmentally friendly.

Our CERAMIN floor coverings are 100% digitally printed. By using solvent-free colours and reducing material waste, we make an active contribution to environmental protection. Thanks to digital printing, we are able to create designs with a natural variety of planks - up to 28 different planks per decor are possible!





_INTERIOR TRENDS


Interior design and sustainability always walk hand in hand when it comes to floor design. Customers are asking for more sustainable flooring products that are both environmentally friendly and durable. The latter also applies to the design of the floor.

The trend is to choose a design that doesn't get boring quickly: replacing a floor after a few years because you no longer like the colour or grain is outdated.

The bestseller by far: oak decors in various colour gradations and grains. Not only does it look high-quality, it also harmonises perfectly with the latest furnishing trends and colours.





NUVA **SELECTED** Cottage Oak Beige



NUVA **ETERNAL** Velvet Oak Brown



NUVA



NUVA **HERINGBONE** Walnut Red Brown



NUVA



NUVA **HERINGBONE** Velvet Oak Brown

03_HEALTHY LIVING

_SUSTAINABLE WITH NO SACRIFICES

PVC is repeatedly criticised for its negative effects on our health and the environment. This is why CLASSEN consistently decided against the production and processing of PVC years ago.

With the development of the CERAMIN material, CLASSEN now offers a floor covering that is not only PVC-free, but also free from chlorine, phthalates and other plasticisers. This makes the material ideal for healthy and health-conscious living.




www.blauer-engel.de/uz120



_THE FUTURE OF FLOORING STARTS WITH CERAMIN

CERAMIN floor coverings consist of at least 25% recycled materials, so-called recyclates. The recycled polypropylene used in CERAMIN was previously a yoghurt pot, a tomato peel or a detergent packaging, for example.

CERAMIN is also recyclable after its service life. In addition to recycling in a new flooring product, this also means that the raw material can be reused outside the flooring industry.



_HEALTHY LIVING

Healthy living is an increasingly relevant topic, because we spend 80 to 90 % of our lives indoors and breathe an average of 20,000 times a day. Floors take up a large area in a room and therefore have a significant influence on the indoor climate and healthy living.


Whether it's a new house, renovation or refurbishment of existing buildings, healthy living is becoming increasingly important. CERAMIN-based floors, such as *NUVA*, are completely healthy to live with and are particularly suitable for allergy sufferers. The floor coverings do not contain any harmful plasticisers that could be released into the air and pose a health risk.



100 % PVC-FREE

CERAMIN is PVC- and plasticiser-free.

The EPD (Environmental Product Declaration) of CERAMIN provides quantitative information about the environmental performance of the product.




We use solvent-free inks to print on our cardboard boxes.



98.5 %

of rejects can be reused in production.

Plastship rates CERAMIN as "very good recyclable".



CERAMIN consists of

40 % polypropylene,

60 % mineral filler and is

100 % recyclable




We breathe an average of

20,000

times a day.

CERAMIN floors meet the requirements of the eco-Institut label, the Blue Angel environmental label, as well as A+ and Greenguard.



We spend

90 %


of our lives are spent indoors. CERAMIN floors don't release any substances that are harmful to health.



CERAMIN contains

25 %

recycled PP. This has been confirmed by the Recyclash by Plastship certification.



CLASSEN dispenses with

30 t

of shrink film a year and uses solid cardboard packaging instead.



We save

25,000 t

of crude oil by using PP recyclates. CLASSEN currently uses 26,000 tonnes of recyclates a year.

04_FEATURES

_AESTHETICS MEETS MAXIMUM FUNCTIONALITY

Look and technology complement each other at *NUVA*. The structured, ultra-matt surface, which even appears matt at the bottom of the pores, is designed to realistically reflect the decor below and create a natural feel.

All *NUVA* collections for gluing and *NUVA* Selected, Rock and Herringbone for clicking are equipped with a bevel in the wear layer. This means that the colour and design of the plank are also visible in the bevel. The overall result is a calm and uniform surface appearance.


NUVA Essential and Eternal for clicking are equipped with a classic, lacquered bevel. This makes the plank stand out visually and emphasises the plank look.



flame-retardant (fire class Bfl-s1)



anti-slip (class R9/R10)



highly resistant to light
(level of resistance to light 7)




_PLANK COMPOSITION CLICKING AND GLUING


The hybrid surface of *NUVA* has a multi-layer structure. It consists of a polypropylene-based, transparent wear layer on the one hand and a textured and excimer lacquer layer on the other, which is carefully matched to the underlying decor.

The hybrid composition of the surface ensures that the surface is resistant and protects the floor from abrasion, stains and scratches.

_CLICKING



_GLUING



_AN ALLIANCE OF A LIFETIME

Whether Essential, Eternal, Selected or Rock, *NUVA* for clicking is equipped with an integrated 1 mm impact sound insulation. This eliminates the need for an additional insulating underlay. Not only does this save a step in the installation process, but it also ensures a firm connection between the plank and the impact sound insulation. It also makes storage and logistics easier and more efficient.

Another advantage is that the entire floor covering is still recyclable at the end of its service life. Like CERAMIN, the integrated impact sound insulation is based on polyolefins and can therefore be easily recycled together with the floor covering.



1 mm impact sound insulation



_BRING ON THE WATER

Similar to high-quality outdoor clothing, the difference between “water resistant” and “waterproof” is also of great importance for floor coverings. The weak point is not the material itself, but the connections - in the case of floor coverings, these are the joints. The materials used in the industry for the core boards of spc or rigid floors are usually water-resistant, but the joints between the individual planks are not completely waterproof. This means that there is a risk of water penetrating through the joints and damaging the subfloor.

NUVA Selected and Rock for clicking meet this challenge. This is where our megaloc-aqua-protect technology, which has been tried and tested for years in our laminate flooring, is utilised. The special shape of the connection prevents water from penetrating through the connecting joints of the floor and thus contributes to a carefree and worry-free living environment.



05_NUVA

_NEXT GENERATION CERAMIN


NUVA not only stands out thanks to its numerous technological advances, such as a bevel in the wear layer, but above all thanks to the authentic and natural designs that enable maximum flexibility in terms of design thanks to digital printing.

From elegant dark walnut decors to modern stone looks, *NUVA* harmoniously combines aesthetic demands with functional sophistication.

One significant innovation is that you now have a choice: "clicking or gluing"? Where there were previously restrictions in terms of the installation method, you can now choose from our modular system, depending on your application, whether you want to use the decor as an innovative click system or as a dryback for full-surface gluing.


UNOBTRUSIVELY MODERN

ultramatt surface



DESIGN AT ITS BEST

Developed in the CLASSEN
design centre



TOGETHER UNBEATABLE


NUVA for clicking with integrated
impact sound insulation



REMARKABLY AUTHENTIC

100%

digitally printed decors




TAKING FLOORING FURTHER

The choice is yours: "Clicking or
Gluing"

DURABLE CONNECTION

NUVA for gluing is fully glued to
the subfloor



FLOORING WITH FUNCTION

From usage class 32
to 34 and 42



PERFECT HARMONY

Bevel in the wear layer



MADE IN GERMANY

100%

control over all ingredients

DESIGN AND SIZE VARIETY


59

Designs




4

Strengths



10

Different formats



ESSENTIAL



1290 × 173 × 4,6 mm



1290 × 210 × 2,5 mm

ETERNAL



1290 × 246 × 5 mm



1290 × 253 × 2,5 mm

SELECTED



1290 × 203 × 5,5 mm



1290 × 210 × 2,5 mm

C = CLICKING

G = GLUING

HERRINGBONE



635 × 126 × 2,5 mm

ROCK



776 × 387 × 5,5 mm



780 × 398 × 2,5 mm



595 × 595 × 2,5 mm




1190 × 595 × 2,5 mm

C = CLICKING

G = GLUING

NUVA



ESSENTIAL

CLICKING



**INSTALLATION
SYSTEM**



**IMPACT SOUND
INSULATION**



**LACQUERED
BEVEL**



**USAGE
CLASS 32**

1290 × 173 × 4,6 mm

GLUING



**FULL-SURFACE
BONDING**



**SQUARE
EDGE**



**BEVEL IN
WEARLAYER**



**USAGE
CLASS 32**

1290 × 210 × 2,5 mm

NUVA




NUVA



PLAIN OAK


Greige



 1290 × 173 × 4,6 mm
Art. No.: **_65251**

NUVA



 1290 × 210 × 2,5 mm
Art. No.: **_65232**

COTTON OAK

Beige



1290 × 173 × 4,6 mm
Art. No.: **_65247**



1290 × 210 × 2,5 mm
Art. No.: **_65179**



SILK OAK

Brown



© 1290 × 173 × 4,6 mm
Art. No.: **_65252**



© 1290 × 210 × 2,5 mm
Art. No.: **_65233**

ORGANIC OAK

Brown



1290 × 173 × 4,6 mm
Art. No.: **_65248**



1290 × 210 × 2,5 mm
Art. No.: **_65180**



AUTUMN OAK

Beige



© 1290 × 173 × 4,6 mm
Art. No.: **_65253**



© 1290 × 210 × 2,5 mm
Art. No.: **_65234**

SOFT OAK Mid Brown



G 1290 × 173 × 4,6 mm
Art. No.: **_65249**



G 1290 × 210 × 2,5 mm
Art. No.: **_65181**




SOFT OAK


Black Brown



© 1290 × 173 × 4,6 mm
Art. No.: **_65250**



NUVA



© 1290 × 210 × 2,5 mm
Art. No.: **_65182**



NUVA



ETERNAL

CLICKING



INSTALLATION
SYSTEM



IMPACT SOUND
INSULATION



LACQUERED
BEVEL



USAGE
CLASS 33

1290 × 246 × 5 mm

GLUING



FULL-SURFACE
BONDING



SQUARE
EDGE



BEVEL IN
WEARLAYER



USAGE
CLASS 33

1290 × 253 × 2,5 mm



SCANDINAVIAN OAK Beige




© 1290 × 246 × 5 mm
Art. No.: **_65208**




© 1290 × 253 × 2,5 mm
Art. No.: **_65156**

ALDER
Beige



 1290 × 246 × 5 mm
Art. No.: **_65207**



 1290 × 253 × 2,5 mm
Art. No.: **_65155**





SOFT OAK

Grey Brown



1290 × 246 × 5 mm
Art. No.: **_65209**



1290 × 253 × 2,5 mm
Art. No.: **_65157**

AUTUMN OAK
Brown



G 1290 × 246 × 5 mm
Art. No.: **_65210**



G 1290 × 253 × 2,5 mm
Art. No.: **_65158**



COTTON OAK
Brown



1290 × 246 × 5 mm
Art. No.: **_65211**



1290 × 253 × 2,5 mm
Art. No.: **_65159**

VIBRANT OAK

Brown



1290 × 246 × 5 mm
Art. No.: **_65212**



1290 × 253 × 2,5 mm
Art. No.: **_65160**



BARREL OAK

Brown



© 1290 × 246 × 5 mm
Art. No.: **_65213**



© 1290 × 253 × 2,5 mm
Art. No.: **_65161**

BOTANIC OAK

Brown



1290 × 246 × 5 mm
Art. No.: **_65214**



1290 × 253 × 2,5 mm
Art. No.: **_65162**





SMOKED OAK

Taupe



1290 × 246 × 5 mm
Art. No.: **_65215**



1290 × 253 × 2,5 mm
Art. No.: **_65163**

SOFT OAK

Grey



1290 × 246 × 5 mm
Art. No.: **_65216**




1290 × 253 × 2,5 mm
Art. No.: **_65164**



VELVET OAK

Brown



© 1290 × 246 × 5 mm
Art. No.: **_65217**



© 1290 × 253 × 2,5 mm
Art. No.: **_65165**

VELVET OAK

Greige



1290 × 246 × 5 mm
Art. No.: **_65218**



1290 × 253 × 2,5 mm
Art. No.: **_65166**



NUVA



SELECTED

CLICKING



INSTALLATION
SYSTEM



IMPACT SOUND
INSULATION



BEVEL IN
WEARLAYER



USAGE
CLASS 34

1290 × 203 × 5,5 mm

GLUING



FULL-SURFACE
BONDING



SQUARE
EDGE



BEVEL IN
WEARLAYER



USAGE
CLASS 34/42

1290 × 210 × 2,5 mm

NUVA



NUVA

PURE OAK

Brown



NUVA

1290 × 203 × 5,5 mm
Art. No.: **_65235**


1290 × 210 × 2,5 mm
Art. No.: **_65167**


COTTON OAK

Brown

NUVA



 1290 × 203 × 5,5 mm
Art. No.: **_65236**

 1290 × 210 × 2,5 mm
Art. No.: **_65168**



AUTUMN OAK

Brown



1290 × 203 × 5,5 mm
Art. No.: **_65237**

1290 × 210 × 2,5 mm
Art. No.: **_65169**

COTTAGE OAK

Beige

NUVA



G 1290 × 203 × 5,5 mm
Art. No.: **_65238**

G 1290 × 210 × 2,5 mm
Art. No.: **_65170**



SOFT OAK

Beige



© 1290 × 203 × 5,5 mm
Art. No.: **_65239**

© 1290 × 210 × 2,5 mm
Art. No.: **_65171**

WALNUT

Brown



1290 × 203 × 5,5 mm
Art. No.: **_65240**

1290 × 210 × 2,5 mm
Art. No.: **_65172**



PURE OAK

Mid Brown



© 1290 × 203 × 5,5 mm
Art. No.: **_65241**

© 1290 × 210 × 2,5 mm
Art. No.: **_65173**

CANYON OAK

Brown



1290 × 203 × 5,5 mm
Art. No.: **_65242**

1290 × 210 × 2,5 mm
Art. No.: **_65174**



PURE OAK

Grey Brown



© 1290 × 203 × 5,5 mm
Art. No.: **_65243**

© 1290 × 210 × 2,5 mm
Art. No.: **_65175**

COTTON OAK

Dark Brown



1290 × 203 × 5,5 mm
Art. No.: **_65244**

1290 × 210 × 2,5 mm
Art. No.: **_65176**



SOFT OAK

Dark Brown



NUVA

1290 × 203 × 5,5 mm
Art. No.: **_65245**

1290 × 210 × 2,5 mm
Art. No.: **_65177**

WALNUT

Red Brown

NUVA



1290 × 203 × 5,5 mm
Art. No.: **_65246**

1290 × 210 × 2,5 mm
Art. No.: **_65178**



NUVA



HERRINGBONE

CLICKING



NUVA **HERRINGBONE** is only available for gluing.



GLUING



**FULL-SURFACE
BONDING**



**SQUARE
EDGE**



**BEVEL IN
WEARLAYER**



**USAGE
CLASS 34/42**

635 × 126 × 2,5 mm

NUVA



NUVA

COTTON OAK

Brown



635 × 126 × 2,5 mm
Art. No.: **_65200**

COTTON OAK

Beige

NUVA


635 × 126 × 2,5 mm
Art. No.: **_65201**





SOFT OAK
Mid Brown



 635 × 126 × 2,5 mm
Art. No.: **_65202**

SMOKED OAK

Taupe

NUVA



635 × 126 × 2,5 mm
Art. No.: **65199**



VELVET OAK


Brown



635 × 126 × 2,5 mm
Art. No.: **_65203**

WALNUT
Red Brown

NUVA



635 × 126 × 2,5 mm
Art. No.: **_65204**



NUVA



ROCK

CLICKING



**INSTALLATION
SYSTEM**



**IMPACT SOUND
INSULATION**



**BEVEL IN
WEARLAYER**



**USAGE
CLASS 34**

776 × 387 × 5,5 mm

GLUING



**FULL-SURFACE
BONDING**



**SQUARE
EDGE**



**BEVEL IN
WEARLAYER**




**USAGE
CLASS 34/42**

595 × 595 × 2,5 mm

780 × 398 × 2,5 mm

1190 × 595 × 2,5 mm



MARBLE

White




776 × 387 × 5,5 mm
Art. No.: **_65219**

780 × 398 × 2,5 mm
Art. No.: **_65183**


595 × 595 × 2,5 mm
Art. No.: **_65149**

1190 × 595 × 2,5 mm
Art. No.: **_65193**



SCREED

Beige



776 × 387 × 5,5 mm
Art. No.: **_65220**

780 × 398 × 2,5 mm
Art. No.: **_65184**

595 × 595 × 2,5 mm
Art. No.: **_65150**

1190 × 595 × 2,5 mm
Art. No.: **_65194**







TRAVERTINE

Greige



 776 × 387 × 5,5 mm
Art. No.: **_65221**

 780 × 398 × 2,5 mm
Art. No.: **_65185**

595 × 595 × 2,5 mm
—

1190 × 595 × 2,5 mm
—



MINERAL

Grey

NUVA



776 × 387 × 5,5 mm
Art. No.: **_65222**

780 × 398 × 2,5 mm
Art. No.: **_65186**

595 × 595 × 2,5 mm
—

1190 × 595 × 2,5 mm
—







CARRARA

Grey



 776 × 387 × 5,5 mm
Art. No.: **_65223**

 780 × 398 × 2,5 mm
Art. No.: **_65187**

595 × 595 × 2,5 mm
Art. No.: **_65151**

1190 × 595 × 2,5 mm
Art. No.: **_65195**



LIMESTONE

Grey

NUVA



776 × 387 × 5,5 mm
Art. No.: **_65224**

780 × 398 × 2,5 mm
Art. No.: **_65188**

595 × 595 × 2,5 mm
—

1190 × 595 × 2,5 mm
—







CEMENT

Dark Grey



NUVA

 776 × 387 × 5,5 mm
Art. No.: **_65225**

 780 × 398 × 2,5 mm
Art. No.: **_65189**

595 × 595 × 2,5 mm
—

1190 × 595 × 2,5 mm
—

SCREED Brown

NUVA



776 × 387 × 5,5 mm
Art. No.: **_65226**

780 × 398 × 2,5 mm
Art. No.: **_65190**

595 × 595 × 2,5 mm
Art. No.: **_65152**

1190 × 595 × 2,5 mm
Art. No.: **_65196**



MINERAL

Dark Grey



776 × 387 × 5,5 mm
Art. No.: **_65227**

780 × 398 × 2,5 mm
Art. No.: **_65191**

595 × 595 × 2,5 mm
Art. No.: **_65153**

1190 × 595 × 2,5 mm
Art. No.: **_65197**

MOON STONE

Dark Grey



776 × 387 × 5,5 mm
Art. No.: **_65228**

780 × 398 × 2,5 mm
Art. No.: **_65192**

595 × 595 × 2,5 mm
Art. No.: **_65154**

1190 × 595 × 2,5 mm
Art. No.: **_65198**

ESSENTIAL

SMOKED OAK Taupe	COTTON OAK Brown	SCAND. OAK Beige	AUTUMN OAK Beige	PLAIN OAK Greige
				
G 1290 × 246 × 5 mm Art. No.: _65215	G 1290 × 246 × 5 mm Art. No.: _65211	G 1290 × 246 × 5 mm Art. No.: _65208	G 1290 × 173 × 4,6 mm Art. No.: _65253	G 1290 × 173 × 4,6 mm Art. No.: _65251
G 1290 × 253 × 2,5 mm Art. No.: _65163	G 1290 × 253 × 2,5 mm Art. No.: _65159	G 1290 × 253 × 2,5 mm Art. No.: _65156	G 1290 × 210 × 2,5 mm Art. No.: _65234	G 1290 × 210 × 2,5 mm Art. No.: _65232
SOFT OAK Grey	VIBRANT OAK Brown	ALDER Beige	SOFT OAK Mid Brown	COTTON OAK Beige
				
G 1290 × 246 × 5 mm Art. No.: _65216	G 1290 × 246 × 5 mm Art. No.: _65212	G 1290 × 246 × 5 mm Art. No.: _65207	G 1290 × 173 × 4,6 mm Art. No.: _65249	G 1290 × 173 × 4,6 mm Art. No.: _65247
G 1290 × 253 × 2,5 mm Art. No.: _65164	G 1290 × 253 × 2,5 mm Art. No.: _65160	G 1290 × 253 × 2,5 mm Art. No.: _65155	G 1290 × 210 × 2,5 mm Art. No.: _65181	G 1290 × 210 × 2,5 mm Art. No.: _65179
VELVET OAK Brown	BARREL OAK Brown	SOFT OAK Grey Brown	SOFT OAK Black Brown	SILK OAK Brown
				
G 1290 × 246 × 5 mm Art. No.: _65217	G 1290 × 246 × 5 mm Art. No.: _65213	G 1290 × 246 × 5 mm Art. No.: _65209	G 1290 × 173 × 4,6 mm Art. No.: _65250	G 1290 × 173 × 4,6 mm Art. No.: _65252
G 1290 × 253 × 2,5 mm Art. No.: _65165	G 1290 × 253 × 2,5 mm Art. No.: _65161	G 1290 × 253 × 2,5 mm Art. No.: _65157	G 1290 × 210 × 2,5 mm Art. No.: _65182	G 1290 × 210 × 2,5 mm Art. No.: _65233
VELVET OAK Greige	BOTANIC OAK Brown	AUTUMN OAK Brown	ORGANIC OAK Brown	
				
G 1290 × 246 × 5 mm Art. No.: _65218	G 1290 × 246 × 5 mm Art. No.: _65214	G 1290 × 246 × 5 mm Art. No.: _65210	G 1290 × 173 × 4,6 mm Art. No.: _65248	
G 1290 × 253 × 2,5 mm Art. No.: _65165	G 1290 × 253 × 2,5 mm Art. No.: _65162	G 1290 × 253 × 2,5 mm Art. No.: _65158	G 11290 × 210 × 2,5 mm Art. No.: _65180	

ETERNAL




SELECTED

PURE OAK Grey Brown	SOFT OAK Beige	PURE OAK Brown
		
G 1290 × 203 × 5,5 mm Art. No.: _65243	G 1290 × 203 × 5,5 mm Art. No.: _65239	G 1290 × 203 × 5,5 mm Art. No.: _65235
G 1290 × 210 × 2,5 mm Art. No.: _65175	G 1290 × 210 × 2,5 mm Art. No.: _65171	G 1290 × 210 × 2,5 mm Art. No.: _65167
COTTON OAK Dark Brown	WALNUT Brown	COTTON OAK Brown
		
G 1290 × 203 × 5,5 mm Art. No.: _65244	G 1290 × 203 × 5,5 mm Art. No.: _65240	G 1290 × 203 × 5,5 mm Art. No.: _65236
G 1290 × 210 × 2,5 mm Art. No.: _65176	G 1290 × 210 × 2,5 mm Art. No.: _65172	G 1290 × 210 × 2,5 mm Art. No.: _65168
SOFT OAK Dark Brown	PURE OAK Mid Brown	AUTUMN OAK Brown
		
G 1290 × 203 × 5,5 mm Art. No.: _65245	G 1290 × 203 × 5,5 mm Art. No.: _65241	G 1290 × 203 × 5,5 mm Art. No.: _65237
G 1290 × 210 × 2,5 mm Art. No.: _65177	G 1290 × 210 × 2,5 mm Art. No.: _65173	G 11290 × 210 × 2,5 mm Art. No.: _65169
WALNUT Red Brown	CANYON OAK Brown	COTTAGE OAK Beige
		
G 1290 × 203 × 5,5 mm Art. No.: _65246	G 1290 × 203 × 5,5 mm Art. No.: _65242	G 1290 × 203 × 5,5 mm Art. No.: _65238
G 11290 × 210 × 2,5 mm Art. No.: _65178	G 1290 × 210 × 2,5 mm Art. No.: _65174	G 1290 × 210 × 2,5 mm Art. No.: _65170

ROCK

MINERAL Dark Grey



G 776 × 387 × 5,5 mm
Art. No.: **_65227**

G 780 × 398 × 2,5 mm
Art. No.: **_65191**


MOON ST. Dark Grey



G 776 × 387 × 5,5 mm
Art. No.: **_65228**

G 780 × 398 × 2,5 mm
Art. No.: **_65192**

CARRARA Grey



G 776 × 387 × 5,5 mm
Art. No.: **_65223**

G 780 × 398 × 2,5 mm
Art. No.: **_65187**

LIMESTONE Grey



G 776 × 387 × 5,5 mm
Art. No.: **_65224**

G 780 × 398 × 2,5 mm
Art. No.: **_65188**

CEMENT Dark Grey



G 776 × 387 × 5,5 mm
Art. No.: **_65225**

G 780 × 398 × 2,5 mm
Art. No.: **_65189**


SCREED Brown



G 776 × 387 × 5,5 mm
Art. No.: **_65226**

G 780 × 398 × 2,5 mm
Art. No.: **_65190**


MARBLE White



G 776 × 387 × 5,5 mm
Art. No.: **_65219**

G 780 × 398 × 2,5 mm
Art. No.: **_65183**


SCREED Beige



G 776 × 387 × 5,5 mm
Art. No.: **_65220**

G 780 × 398 × 2,5 mm
Art. No.: **_65184**

TRAVERTINE Greige



G 776 × 387 × 5,5 mm
Art. No.: **_65221**

G 780 × 398 × 2,5 mm
Art. No.: **_65185**

MINERAL Grey



G 776 × 387 × 5,5 mm
Art. No.: **_65222**

G 780 × 398 × 2,5 mm
Art. No.: **_65186**




COTTON OAK Brown




G 635 × 126 × 2,5 mm
Art. No.: **_65200**

COTTON OAK Beige




G 635 × 126 × 2,5 mm
Art. No.: **_65201**

SOFT OAK Mid Brown




G 635 × 126 × 2,5 mm
Art. No.: **_65202**

SMOKED OAK Taupe



G 635 × 126 × 2,5 mm
Art. No.: **_65199**

VELVET OAK Brown



G 635 × 126 × 2,5 mm
Art. No.: **_65203**

WALNUT Red Brown



G 635 × 126 × 2,5 mm
Art. No.: **_65204**

MINERAL Dark Grey



G 1190 × 595 × 2,5 mm
Art. No.: **_65197**

MOON ST. Dark Grey



G 1190 × 595 × 2,5 mm
Art. No.: **_65198**

MARBLE White



G 1190 × 595 × 2,5 mm
Art. No.: **_65193**

SCREED Beige




G 1190 × 595 × 2,5 mm
Art. No.: **_65194**

CARRARA Grey




G 1190 × 595 × 2,5 mm
Art. No.: **_65195**

SCREED Brown



G 1190 × 595 × 2,5 mm
Art. No.: **_65196**

MINERAL Dark Grey



G 595 × 595 × 2,5 mm
Art. No.: **_65153**

MOON ST. Dark Grey



G 595 × 595 × 2,5 mm
Art. No.: **_65154**

MARBLE White




G 595 × 595 × 2,5 mm
Art. No.: **_65149**

SCREED Beige




G 595 × 595 × 2,5 mm
Art. No.: **_65150**

CARRARA Grey



G 595 × 595 × 2,5 mm
Art. No.: **_65151**

SCREED Brown



G 595 × 595 × 2,5 mm
Art. No.: **_65152**



06_TECHNOLOGY

_INSTALLATION: CLICKING OR GLUING

Choosing the right installation system can have a significant impact on the functional and aesthetic design of a room.

With *NUVA*, you can choose between “clicking” and “gluing”. Both installation methods offer unique advantages and can be the best choice depending on the situation.

Clicking

- Ready for immediate use
- Quick and easy to install
- Recyclable
- Easy to replace individual planks
- Dimensionally stable



Gluing


- Resistant and highly durable
- Suitable for commercial projects
- Excellent room acoustics
- Low installation height of 2.5 mm
- Can be installed without area restrictions



_HIGH-CLASS CLICKING INSTALLATION SYSTEMS

The must-have for a high-quality and technically sophisticated CERAMIN-based floor: the megaloc or easyloc quick-installation system. As proven, patented click installation systems, both megaloc and easyloc are the perfect complement to *NUVA*'s technical innovations.

The stable profile connection locks the planks reliably and securely. This ensures an increased longevity and has been convincing customers from all over the world for years.



Megaloc



Easyloc




CERAMIN FLEX – PROFESSIONAL GLUING INSTALLATION SYSTEM

PVC-free and yet technologically just as powerful as well-known dryback solutions: CERAMIN Flex technology, which is used for all *NUVA* collections for gluing.

Just like other dryback solutions on the market, *NUVA* is fully glued to a prepared subfloor. Thanks to the direct connection with the subfloor, this results in improved room acoustics. The CERAMIN-based dryback also impresses with a renovation-friendly installation height of just 2.5 mm.

Another advantage of the CERAMIN Flex technology is that the planks do not have a predetermined installation direction. This eliminates differences in gloss level.

Glue Recommendation



_SELECTION GUIDE

NUVA offers you maximum flexibility in terms of design and application. Thanks to the modular system, you can now choose between “clicking or gluing” and can select from our wide range of products whether you want to use the decor as an innovative click system or as a dryback for full-surface gluing.



NUVA

ESSENTIAL

Living

Hotel

Office

Shop

Industry

C

C

G

G

ETERNAL

C

C

C

G

G

G

SELECTED

C

C

C

C

G

G

G

G

G

HERRINGBONE

G

G

G

G

G

ROCK

C

C

C

C

G

G

G

G

G

NUVA

_TECHNICAL DATA
CLICKING

ESSENTIAL

Dimensions (mm):	1290 × 173 × 4,6
Profile:	Easyloc (Angle/Angle)
Bevel:	lacquered bevel
Impact sound insulation:	1 mm
Planks/box:	11
m²/box:	2,455
Boxes/pal.:	48
m²/pal.:	117,834
Usage class:	UC 32

ETERNAL

Dimensions (mm):	1290 × 246 × 5,0
Profile:	Easyloc (Angle/Angle)
Bevel:	lacquered bevel
Impact sound insulation:	1 mm
Planks/box:	8
m²/box:	2,538
Boxes/pal.:	45
m²/pal.:	114,242
Usage class:	UC 33

SELECTED

Dimensions (mm):	1290 × 203 × 5,5
Profile:	Megaloc Aqua Protect
Bevel:	Bevel in Wearlayer
Impact sound insulation:	1 mm
Planks/box:	9
m²/box:	2,356
Boxes/pal.:	48
m²/pal.:	113,088
Usage class:	UC 34

HERRINGBONE

Dimensions (mm):	—
Profile:	—
Bevel:	—
Impact sound insulation:	—
Planks/box:	—
m²/box:	—
Boxes/pal.:	—
m²/pal.:	—
Usage class:	—

ROCK

Dimensions (mm):	776 × 387 × 5,5
Profile:	Megaloc Aqua Protect
Bevel:	Bevel in Wearlayer
Impact sound insulation:	1 mm
Planks/box:	8
m²/box:	2,402
Boxes/pal.:	45
m²/pal.:	108,112
Usage class:	UC 34

NUVA

_TECHNICAL DATA
GLUING

ESSENTIAL

Dimensions (mm):	1290 × 210 × 2,5
Profile:	Square edge
Bevel:	Bevel in Wearlayer
Impact sound insulation:	—
Planks/box:	16
m²/box:	4,334
Boxes/pal.:	48
m²/pal.:	208,032
Usage class:	UC 32

ETERNAL

Dimensions (mm):	1290 × 253 × 2,5
Profile:	Square edge
Bevel:	Bevel in Wearlayer
Impact sound insulation:	—
Planks/box:	14
m²/box:	4,569
Boxes/pal.:	39
m²/pal.:	178,191
Usage class:	UC 33

SELECTED

Dimensions (mm):	1290 × 210 × 2,5
Profile:	Square edge
Bevel:	Bevel in Wearlayer
Impact sound insulation:	—
Planks/box:	16
m²/box:	4,334
Boxes/pal.:	48
m²/pal.:	208,032
Usage class:	UC 34/42

HERRINGBONE

Dimensions (mm):	635 × 126 × 2,5
Profile:	Square edge
Bevel:	Bevel in Wearlayer
Impact sound insulation:	—
Planks/box:	50
m²/box:	4,000
Boxes/pal.:	48
m²/pal.:	193,548
Usage class:	UC 34/42

ROCK

Dimensions (mm):	780 × 398 × 2,5	595 × 595 × 2,5	1190 × 595 × 2,5
Profile:	Square edge	Square edge	Square edge
Bevel:	Bevel in Wearlayer	Bevel in Wearlayer	Bevel in Wearlayer
Impact sound insulation:	—	—	—
Planks/box:	15	14	8
m²/box:	4,656	4,956	5,664
Boxes/pal.:	39	40	36
m²/pal.:	181,607	198,254	203,918
Usage class:	UC 34/42	UC 34/42	UC 34/42

NUVA

07_SERVICE

_OUR EXPERTISE

As a family-run company that manufactures its products in Germany, we know that our customers' success is the measure of our own success. That is why we place particular emphasis on providing our partners and customers with excellent service.

Marketing:


Now more than ever, individuality is in demand. At CLASSEN, our partners benefit from tailor-made marketing solutions. Our in-house marketing team supports you in designing your advertising material, realising your digital presence or developing your strategic direction.



CLASSEN Academy:

Our extensive CLASSEN Academy training programme offers you the opportunity to become intensively familiar with our products and how to use them.

The training courses are practice-oriented and tailored to the current challenges of the industry.



Personal contact persons:

Our service does not end with the delivery of our products. CLASSEN is at your side with individual advice and support.

Whether you have technical questions, need help choosing a product or assistance with special projects, our dedicated service team is there for you.



info@classenfloor.pl



The catalog does not constitute an offer within the meaning of commercial law.

Classen Floor Systems Sp. z o.o. reserves the right to modify and improve the products presented in this publication without prior notice. The information contained in this catalog is accurate at the time of publication.

The images of the decors in this catalog are not binding in terms of color and size.



NUVA - Collection

12/2024

Classen Floor Systems Sp. z o.o.

ul. Wyzwolenia
44-292 Zwonowice, Polska

www.classenfloor.pl

CLASSEN Group

Werner-von-Siemens-Str. 18-20
56759 Kaisersesch, Niemcy

www.classengroup.com



@ClassenFloorPoland
@Classen.Group



classen_floor
classen_group



ClassenFloor
Instructions and films



Classen Cloud
Download app with our floors



Classen Competence Centre
Showroom and advice for our customers