



WATER RESISTANT

LAMINATE FLOORING

CATALOGUE 2026


FLOORS FOR
A BETTER TOMORROW

 CLASSEN®

FLOORS FOR A BETTER TOMORROW

In the middle of the Brandenburg forest, in Baruth (near Berlin), the CLASSEN Group produces premium laminate flooring, 100 % integrated from wood cutting to the finished product. All waste materials generated in production are used either materially or thermally for the production of process energy. The laminate is manufactured in an environmentally friendly manner, developed using the latest technology and impresses with its high-quality finish. All CLASSEN laminate products bear the „Blauer Engel“ (Blue Angel) environmental seal of the German Federal Government.

We only use wood from sustainable forestry certified according to FSC® (FSC C100583) and PEFC (PEFC/04-31-0824) as well as from other controlled sources. As a rule, we obtain the wood from the immediate surrounding area in order to keep the delivery routes short.



CONTENT

01.	INTRODUCTION	4	18.	EMOTIONS 4V	72
02.	CASA PRIMA	6	19.	HARMONY FORTE	76
03.	CASA VICTORY	10	20.	PRIDE 4V	80
04.	GALAXY 4V	14	21.	LIFE 4V	84
05.	MASTER 4V	18	22.	DISCOVERY 4V	88
06.	VILLA 4V	22	23.	FEEL GOOD	92
07.	VISIOGRANDE	26	24.	STARS 4V	98
08.	CASA ENERGY	32	25.	DIAMOND 4V	102
09.	CASA CORONA	36	26.	FORZA 4V	106
10.	CHARM 4V	40	27.	STORY 4V	110
11.	EUPHORIA 4V	44	28.	SUPREME 4V	114
12.	EXPEDITION 4V	48	29.	EXTREME 4V	118
13.	AUTHENTIC 4V	52	30.	TECHNOLOGIES	122
14.	TREND 4V	56	31.	BENEFITS & FORMATS	124
15.	CHOICE 4V	60	32.	ADDITIONAL ADVANTAGES	126
16.	ELITE 4V	64	33.	CLEANING	128
17.	EVOLUTION 4V	68			

1. WATER RESISTANT



mégaloc
aqua protect

WHY IS CLASSEN'S WATER RESISTANT FLOORING THE BEST CHOICE?

NALFA and ISO 4760:2022

The NALFA test is a standardized method to assess the water behaviour of laminate flooring. By carrying out strictly defined tests, **North American Laminate Flooring Association** determines the **48-72- 168 hour resistance** of laminated panels to standing water, simulating a serious fault / failure of the water system, thus exposing the joints of the panels to swelling and irreversible damage.

CLASSEN panels have made it to the first and best NALFA result group, i.e. **no visible swelling on the surface**. We are proud of it!

SAFE flooring

Our floors can be used anywhere in the house, complex solution - for bathrooms, kitchens, pets and kids...
A minimum content of formaldehyde, CLASSEN products are a perfect solution for people who care about the safety of users.
Daily use, cleaning and splash situations no longer damage the floor!

THREE PROTECTION LEVELS

Different collections – different resistance. You choose the level that fits your lifestyle

48

HOURS

STANDARD PROTECTION

Reliable protection for everyday spills and splashes



72

HOURS

ENHANCED PROTECTION

High resistance for longer peace of mind



168

HOURS

MAXIMUM PROTECTION

Maximum resistance for extreme everyday situations



www.blauer-engel.de/uz176



02.

CASA PRIMA

1285 x 192 mm



ABRASION
CLASS



USAGE
CLASS



GUARANTEE



THICKNESS



4-SIDED
BEVEL



ULTRA
MATT



BRUSHED
ULTRA MATT



RESIST SPILLS
UP TO 48H



Casa Prima Boston Oak



Comano Oak 66885
1285 x 192 x 7 mm / ultra matt



Horsley Oak 62907
1285 x 192 x 7 mm / ultra matt



Boston Oak 62909
1285 x 192 x 7 mm / ultra matt



Richmond Oak 62911
1285 x 192 x 7 mm / ultra matt



Fresno Oak 65118
1285 x 192 x 7 mm / ultra matt



Madison Oak 62905
1285 x 192 x 7 mm / ultra matt



Nashville Oak 62913
1285 x 192 x 7 mm / ultra matt



Baltimore Oak 62908
1285 x 192 x 7 mm / ultra matt



Imabari Oak 62906
1285 x 192 x 7 mm / ultra matt



Brockville Oak 62910
1285 x 192 x 7 mm / ultra matt



Merida Oak 62912
1285 x 192 x 7 mm / ultra matt



Leda Oak 66161
1285 x 192 x 7 mm / brushed ultra matt

03.

CASA VICTORY

1285 x 280 mm



AC5
ABRASION
CLASS



UC32
USAGE
CLASS



25Y
GUARANTEE



7mm
THICKNESS



4-SIDED
BEVEL



ULTRA
MATT



RESIST SPILLS
UP TO 48H



Casa Victory Matera Oak



Materra Oak 64586
1285 x 280 x 7 mm / ultra matt



Positano Oak 64593
1285 x 280 x 7 mm / ultra matt



Verona Oak 64589
1285 x 280 x 7 mm / ultra matt



Arezzo Oak 64590
1285 x 192 x 7 mm / ultra matt



Alassio Oak 64588
1285 x 192 x 7 mm / ultra matt



Belluno Oak 64592
1285 x 280 x 7 mm / ultra matt



Volterra Oak 64591
1285 x 280 x 7 mm / ultra matt



Treviso Oak 64595
1285 x 280 x 7 mm / ultra matt



04.

GALAXY 4V

1285 x 192 mm



ABRASION
CLASS



USAGE
CLASS



GUARANTEE



THICKNESS



4-SIDED
BEVEL



ULTRA
MATT



RESIST SPILLS
UP TO 48H



Galaxy 4V Lozano Oak



Sorrento Oak 69041
1285 x 192 x 8 mm / ultra matt



Lozano Oak 61509
1285 x 192 x 8 mm / ultra matt



Galaxy 4V Sorrento Oak

05.

MASTER 4V

1285 x 192 mm



ABRASION
CLASS



USAGE
CLASS



GUARANTEE



THICKNESS



4-SIDED
BEVEL



ULTRA
MATT



RESIST SPILLS
UP TO 48H



Master 4V Fernwood Oak



Fernwood Oak 65714
1285 x 192 x 8 mm / ultra matt



Luton Oak 68458
1285 x 192 x 8 mm / ultra matt



Aston Oak 68455
1285 x 192 x 8 mm / ultra matt



Metoni Oak 68457
1285 x 192 x 8 mm / ultra matt



Picardia Oak 68456
1285 x 192 x 8 mm / ultra matt



06.

VILLA 4V

1285 x 280 mm



ABRASION
CLASS



USAGE
CLASS



GUARANTEE



THICKNESS



4-SIDED
BEVEL



ULTRA
MATT



RESIST SPILLS
UP TO 72H



Villa 4V Bordeaux Pine



Peoria Oak 55061
1285 x 280 x 8 mm / ultra matt



Lozano Oak 55062
1285 x 280 x 8 mm / ultra matt



Beton 55063
1285 x 280 x 8 mm / ultra matt



Villa 4V Beton Oak



Ravello Oak 55068
1285 x 280 x 8 mm / ultra matt



Lancaster Oak 55064
1285 x 280 x 8 mm / ultra matt



Villa 4V Ravello Oak

07.

VISIO-GRANDE

604 x 280 mm

- AC4

ABRASION CLASS
- UC32

USAGE CLASS
- 20Y

GUARANTEE
- 8mm

THICKNESS
- 


4-SIDED BEVEL
- 

STONE SURFACE
- 

RESIST SPILLS UP TO 72H



Visiogrande Oiled State



Oiled State 56015
604 x 280 x 8 mm / stone surface



Screed Light 56016
604 x 280 x 8 mm / stone surface



White Granite 56017
604 x 280 x 8 mm / stone surface



Beige Granite 56021
604 x 280 x 8 mm / stone surface



Cement Screed Beige 56022
604 x 280 x 8 mm / stone surface



Cement Screed Taupe 56023
604 x 280 x 8 mm / stone surface




Slate Clay Grey 56018
604 x 280 x 8 mm / stone surface



Concrete White 56019
604 x 280 x 8 mm / stone surface



Cement Screed Grey 56020
604 x 280 x 8 mm / stone surface



Black Granite 56024
604 x 280 x 8 mm / stone surface



Screed White 56025
604 x 280 x 8 mm / stone surface



Screed Old White 56030
604 x 280 x 8 mm / stone surface



Dolomit Sand 65288
604 x 280 x 8 mm / stone surface




Dolomit Grau 65289
604 x 280 x 8 mm / stone surface



Dolomit Beige 65290
604 x 280 x 8 mm / stone surface



Beton Sand 65294
604 x 280 x 8 mm / stone surface



Travertin Beige 65291
604 x 280 x 8 mm / stone surface



Cascade 65292
604 x 280 x 8 mm / stone surface



Beton Graubrown 65293
604 x 280 x 8 mm / stone surface



Beton Grau 65295
604 x 280 x 8 mm / stone surface



Visiogrande White Granite

08.

CASA ENERGY

1285 x 192 mm



AC5
ABRASION
CLASS



UC33
USAGE
CLASS



25Y
GUARANTEE



8mm
THICKNESS



4-SIDED
BEVEL



ULTRA
MATT



RESIST SPILLS
UP TO 48H



Casa Energy Matera Oak



Nantes Rustic Oak 54398
1285 x 192 x 8 mm / ultra matt



Hudson Oak 55070
1285 x 192 x 8 mm / ultra matt



Sierra Rustic Oak 54044
1285 x 192 x 8 mm / ultra matt



Sherman Rustic Oak 54045
1285 x 192 x 8 mm / ultra matt



Madison Rustic Oak 54261
1285 x 192 x 8 mm / ultra matt



Sartre Rustic Oak 54397
1285 x 192 x 8 mm / ultra matt



Cabrillo Rustic Oak 54041
1285 x 192 x 8 mm / ultra matt



Sacramento Rustic Oak 54043
1285 x 192 x 8 mm / ultra matt



Hoban Rustic Oak 54042
1285 x 192 x 8 mm / ultra matt



Casa Energy Madison Oak

09.

CASA CORONA

1285 x 280 mm

- AC5

ABRASION CLASS
- UC33

USAGE CLASS
- 25Y

GUARANTEE
- 8mm

THICKNESS
- 

4-SIDED BEVEL
- 

ULTRA MATT
- 

BRUSHED ULTRA MATT
- 

RESIST SPILLS UP TO 72H



Casa Corona Marenati Oak



Pedro Oak 54872
1285 x 280 x 8 mm / ultra matt



Gaja Oak 54873
1285 x 280 x 8 mm / brushed ultra matt



Cedari Oak 56007
1285 x 280 x 8 mm / ultra matt



Diamante Oak 56009
1285 x 280 x 8 mm / ultra matt



Marenati Oak 56010
1285 x 280 x 8 mm / brushed ultra matt



Rivello Oak 56700
1285 x 280 x 8 mm / ultra matt



Teramo Oak 56005
1285 x 280 x 8 mm / brushed ultra matt



Hers Oak 56006
1285 x 280 x 8 mm / brushed ultra matt



Casa Corona Teramo Oak



Casa Corona Cedari Oak

10.

CHARM 4V

1285 x 192 mm



ABRASION
CLASS



USAGE
CLASS



GUARANTEE



THICKNESS



4-SIDED
BEVEL



ULTRA
MATT



RESIST SPILLS
UP TO 48H



Charm 4V Livorno Oak



Livorno Oak 56687
1285 x 192 x 8 mm / ultra matt



Milano Oak 56689
1285 x 192 x 8 mm / ultra matt



Rochester Oak 56691
1285 x 192 x 8 mm / ultra matt



Charm 4V Milano Oak



Charm 4V Rochester Oak

11.

EUPHORIA 4V

1285 x 192 mm



ABRASION
CLASS



USAGE
CLASS



GUARANTEE



THICKNESS



4-SIDED
BEVEL



BRUSHED
ULTRA MATT



RESIST SPILLS
UP TO 48H



Euphoria 4V Catania Oak



Euphoria 4V Genova Oak



Catania Oak 56601
1285 x 192 x 8 mm / brushed ultra matt



Genova Oak 64850
1285 x 192 x 8 mm / brushed ultra matt



Havana Oak 66724
1285 x 192 x 8 mm / brushed ultra matt



Lahti Oak 66708
1285 x 192 x 8 mm / brushed ultra matt



Albergo Oak 66709
1285 x 192 x 8 mm / brushed ultra matt



Palermo Oak 64851
1285 x 192 x 8 mm / brushed ultra matt



Valetta Oak 66873
1285 x 192 x 8 mm / brushed ultra matt



Euphoria 4V Palermo Oak

12.

EXPEDITION 4V

1285 x 192 mm



ABRASION
CLASS



USAGE
CLASS



GUARANTEE



THICKNESS



4-SIDED
BEVEL



ULTRA
MATT



RESIST SPILLS
UP TO 48H



Expedition 4V Turkana Oak



52782

1285 x 192 x 8 mm / ultra matt



Tanganika Oak

52783

1285 x 192 x 8 mm / ultra matt



Turkana Oak

52786

1285 x 192 x 8 mm / ultra matt



Asal Oak

55012

1285 x 192 x 8 mm / ultra matt



Chiaro Oak

66705

1285 x 192 x 8 mm / ultra matt



Grigio Oak

66706

1285 x 192 x 8 mm / ultra matt



Titicaca Oak

56619

1285 x 192 x 8 mm / ultra matt



Niasa Oak

55013

1285 x 192 x 8 mm /ultra matt



Expedition 4V Niasa Oak

13.

AUTHENTIC

1285 x 192 mm



ABRASION
CLASS



USAGE
CLASS



GUARANTEE



THICKNESS



4-SIDED
BEVEL



ULTRA
MATT



BRUSHED
ULTRA MATT



RESIST SPILLS
UP TO 48H



Authentic Flamante Oak



Azurro Oak 69559
1285 x 192 x 8 mm / ultra matt



Formagio Oak 69556
1285 x 192 x 8 mm / brushed ultra matt



Flamante Oak 69560
1285 x 192 x 8 mm / brushed ultra matt



Authentic Flamante Oak



Authentic Formagio Oak



Camden Oak 69555
1285 x 192 x 8 mm / ultra matt



Caldi Oak 69552
1285 x 192 x 8 mm / ultra matt



Orlando Oak 69558
1285 x 192 x 8 mm / ultra matt

14.

TREND 4V

1285 x 192 mm



ABRASION
CLASS



USAGE
CLASS



GUARANTEE



THICKNESS



4-SIDED
BEVEL



ULTRA
MATT



RESIST SPILLS
UP TO 48H



Trend 4V Mamry Oak



Trend 4V Goldap Oak



Wostok Oak

52606

1285 x 192 x 8 mm / ultra matt



Baikol Oak

56620

1285 x 192 x 8 mm / ultra matt



Dargin Oak

56621

1285 x 192 x 8 mm / ultra matt



Goldap Oak

52600

1285 x 192 x 8 mm / ultra matt



Mamry Oak

52601

1285 x 192 x 8 mm / ultra matt



Vanda Oak

52605

1285 x 192 x 8 mm / ultra matt



Bergamo Oak

69042

1285 x 192 x 8 mm / ultra matt



Provano Oak

66769

1285 x 192 x 8 mm / ultra matt



Trend 4V Wostok Oak

15.

CHOICE 4V

1285 x 280 mm



ABRASION
CLASS



USAGE
CLASS



GUARANTEE



THICKNESS



4-SIDED
BEVEL



ULTRA
MATT



RESIST SPILLS
UP TO 72H



Choice 4V Modena Oak Select



Barletta Oak Rustic 54978
1285 x 280 x 8 mm / ultra matt



Avinion Oak Rustic 54979
1285 x 280 x 8 mm / ultra matt



Avinion Oak Select 55294
1285 x 280 x 8 mm / ultra matt



Choice 4V Barletta Oak Rustic



Rimini Oak Rustic 54982
1285 x 280 x 8 mm / ultra matt



Choice 4V Avinion Oak Rustic

16.

ELITE 4V

1285 x 280 mm



ABRASION
CLASS



USAGE
CLASS



GUARANTEE



THICKNESS



4-SIDED
BEVEL



BRUSHED
ULTRA MATT



RESIST SPILLS
UP TO 72H



Elite 4V Crotona Oak



Marsala Oak 55043
1285 x 280 x 8 mm / brushed ultra matt



Cassano Oak 55045
1285 x 280 x 8 mm / brushed ultra matt



Caserta Oak 55041
1285 x 280 x 8 mm / brushed ultra matt



Elite 4V Cassano Oak



Elite 4V.Caserta Oak

17.

EVOLUTION 4V

1285 x 280 mm



ABRASION
CLASS



USAGE
CLASS



GUARANTEE



THICKNESS



4-SIDED
BEVEL



ULTRA
MATT



BRUSHED
ULTRA MATT



RESIST SPILLS
UP TO 72H



Evolution 4V Siena Oak



Capella Oak 63669
1285 x 280 x 8 mm / brushed ultra matt



Lincoln Oak 64844
1285 x 280 x 8 mm / brushed ultra matt



Rangoon Oak 65581
1285 x 280 x 8 mm / brushed ultra matt



Emotions 4V Capella Oak



Emotions 4V Monteverdi Oak



Monteverdi Oak 63111
1285 x 280 x 8 mm / brushed ultra matt



Albiano Oak 63127
1285 x 280 x 8 mm / brushed ultra matt



Torri Oak 63112
1285 x 280 x 8 mm / brushed ultra matt



Siena Oak 63110
1285 x 280 x 8 mm / brushed ultra matt

18.

EMOTIONS 4V

1285 x 280 mm



ABRASION
CLASS



USAGE
CLASS



GUARANTEE



THICKNESS



4-SIDED
BEVEL



BRUSHED
ULTRA MATT



RESIST SPILLS
UP TO 72H



Emotions 4V Durango Oak



Villach Oak 62495
1285 x 280 x 8 mm / brushed ultra matt



Nebraska Oak 62493
1285 x 280 x 8 mm / brushed ultra matt



Durango Oak 62494
1285 x 280 x 8 mm / brushed ultra matt



Caluri Oak 62503
1285 x 280 x 8 mm / brushed ultra matt



Emotions 4V Durango Oak



Canberra Oak 62502
1285 x 280 x 8 mm / brushed ultra matt



Emotions 4V Canberra Oak

19.

HARMONY FORTE

1285 x 280 mm



ABRASION
CLASS



USAGE
CLASS



GUARANTEE



THICKNESS



4-SIDED
BEVEL



ULTRA
MATT



BRUSHED
ULTRA MATT



RESIST SPILLS
UP TO 72H



Harmony Forte Trydent Oak



Clermont Oak 67421
1285 x 280 x 8 mm / brushed ultra matt



Selma Oak 55858
1285 x 280 x 8 mm / ultra matt



Atlantis Oak 55956
1285 x 280 x 8 mm / ultra matt



Avan Oak 55959
1285 x 280 x 8 mm / brushed ultra matt



Dorado Oak 56611
1285 x 280 x 8 mm / ultra matt



Marston Oak 56612
1285 x 280 x 8 mm / ultra matt



Aurora Oak 55955
1285 x 280 x 8 mm / ultra matt



Trydent Oak 56613
1285 x 280 x 8 mm / ultra matt



20.

PRIDE 4V

1285 x 280 mm



ABRASION
CLASS



USAGE
CLASS



GUARANTEE



THICKNESS



4-SIDED
BEVEL



BRUSHED
ULTRA MATT



RESIST SPILLS
UP TO 72H



Pride 4V Campo Oak



Pride 4V Cassada Oak



Campo Oak
1285 x 280 x 8 mm / brushed ultra matt



Cassada Oak
1285 x 280 x 8 mm / brushed ultra matt



Bergen Oak
1285 x 280 x 8 mm / brushed ultra matt



Pride 4V Cassada Oak

21.

LIFE 4V

1285 x 192 mm



ABRASION
CLASS



USAGE
CLASS



GUARANTEE



THICKNESS



4-SIDED
BEVEL



ULTRA
MATT



RESIST SPILLS
UP TO 48H



Life 4V Brescia Oak



Brescia Oak 64978
1285 x 192 x 8 mm / ultra matt



Bari Oak 64973
1285 x 192 x 8 mm / ultra matt



Salerno Oak 64979
1285 x 192 x 8 mm / ultra matt



Pisa Oak 64980
1285 x 192 x 8 mm / ultra matt



Trento Oak 64976
1285 x 192 x 8 mm / ultra matt



Torino Oak 64963
1285 x 192 x 8 mm / ultra matt



Perugia Oak 64977
1285 x 192 x 8 mm / ultra matt



Siena Oak 64981
1285 x 192 x 8 mm / ultra matt



Bologna Oak 64972
1285 x 192 x 8 mm / ultra matt



Catania Oak 64975
1285 x 192 x 8 mm / ultra matt



22.

DISCOVERY 4V

1285 x 192 mm



ABRASION
CLASS



USAGE
CLASS



GUARANTEE



THICKNESS



4-SIDED
BEVEL



ULTRA
MATT



BRUSHED
ULTRA MATT



RESIST SPILLS
UP TO 48H



Discovery 4V Talia Oak



Brushed Elba Oak 68245
1285 x 192 x 8 mm / brushed ultra matt



Brushed Velora Oak 68246
1285 x 192 x 8 mm / brushed ultra matt



Faedo Oak 68247
1285 x 192 x 8 mm / ultra matt



Kalme Oak 68255
1285 x 192 x 8 mm / ultra matt



Valmo Oak 68257
1285 x 192 x 8 mm / ultra matt



Corino Oak 68258
1285 x 192 x 8 mm / ultra matt



Talia Oak 68248
1285 x 192 x 8 mm / ultra matt



Padua Oak 68250
1285 x 192 x 8 mm / ultra matt



Silla Oak 68251
1285 x 192 x 8 mm / ultra matt



Discovery 4V Valmo Oak

23.

FEEL GOOD

1285 x 192 mm



ABRASION
CLASS



USAGE
CLASS



GUARANTEE



THICKNESS



4-SIDED
BEVEL




BRUSHED
ULTRA MATT



RESIST SPILLS
UP TO 168H



MAXIMUM PROTECTION
UP TO 168H



MAX WITHOUT
DILATATION



Feel Good Enjoy Brushed Parla Oak



Brushed Luino Oak 68194
1285 x 192 x 8 mm / brushed ultra matt



Brushed Meir Oak 68195
1285 x 192 x 8 mm / brushed ultra matt



Brushed Parla Oak 68196
1285 x 192 x 8 mm / brushed ultra matt



Mossa Oak 67667
1285 x 192 x 8 mm / brushed ultra matt



Brushed Salv Oak 68198
1285 x 192 x 8 mm / brushed ultra matt



Fiara Oak 67664
1285 x 192 x 8 mm / brushed ultra matt



Isola Oak 67666
1285 x 192 x 8 mm / brushed ultra matt



Orelia Oak 67668
1285 x 192 x 8 mm / brushed ultra matt



Feel Good Enjoy Brushed Luino Oak



Brushed Calvia Oak 68192
1285 x 192 x 8 mm / brushed ultra matt



Cazora Oak 68189
1285 x 192 x 8 mm / brushed ultra matt



Tressa Oak 68190
1285 x 192 x 8 mm / brushed ultra matt



Narva Oak 67662
1285 x 192 x 8 mm / brushed ultra matt



Vesira Oak 68191
1285 x 192 x 8 mm / brushed ultra matt



Brushed Ta Oak 68186
1285 x 192 x 8 mm / brushed ultra matt



Comoza Oak 67660
1285 x 192 x 8 mm / brushed ultra matt



Rovira Oak 67661
1285 x 192 x 8 mm / brushed ultra matt



Feel Good Explore Narva Oak

24.

STARS 4V

1285 x 192 mm



ABRASION
CLASS



USAGE
CLASS



GUARANTEE



THICKNESS



4-SIDED
BEVEL



ULTRA
MATT



BRUSHED
ULTRA MATT



RESIST SPILLS
UP TO 48H



Stars 4V Austin Oak



Tudor Oak 67166
1285 x 192 x 10 mm / ultra matt



Austin Oak 67163
1285 x 192 x 10 mm / brushed ultra matt



Sabi Oak 67167
1285 x 192 x 10 mm / ultra matt



Hamilton Oak 67169
1285 x 192 x 10 mm / ultra matt



Lavardin Oak 67164
1285 x 192 x 10 mm / brushed ultra matt



Denver Oak 67136
1285 x 192 x 10 mm / brushed ultra matt



Ancona Oak 67170
1285 x 192 x 10 mm / ultra matt



Belmore Oak 67162
1285 x 192 x 10 mm / brushed ultra matt



Arizona Oak 67168
1285 x 192 x 10 mm / ultra matt



Arbo Oak 67165
1285 x 192 x 10 mm / brushed ultra matt



25.

DIAMOND 4V

1285 x 192 mm

AC5

ABRASION
CLASS

UC33

USAGE
CLASS

25Y

GUARANTEE

10mm

THICKNESS



4-SIDED
BEVEL



ULTRA
MATT



BRUSHED
ULTRA MATT



RESIST SPILLS
UP TO 48H



Diamond 4V Cali Oak



Laredo Oak 57280
1285 x 192 x 10 mm / brushed ultra matt



Bogota Oak 62183
1285 x 192 x 10 mm / ultra matt



Cali Oak 62188
1285 x 192 x 10 mm / ultra matt



Pereira Oak 62189
1285 x 192 x 10 mm / ultra matt



Kartagina Oak 62185
1285 x 192 x 10 mm / ultra matt



Pradera Oak 62186
1285 x 192 x 10 mm / ultra matt



Cerrito Oak 62187
1285 x 192 x 10 mm / ultra matt



Cartago Oak 62190
1285 x 192 x 10 mm / ultra matt



26.

FORZA 4V

1285 x 192 mm



AC5

ABRASION
CLASS



UC33

USAGE
CLASS



25Y

GUARANTEE



10mm

THICKNESS



4-SIDED
BEVEL



ULTRA
MATT



BRUSHED
ULTRA MATT



RESIST SPILLS
UP TO 48H



Forza 4V Borgo Oak




Borgo Oak 63346
1285 x 192 x 10 mm / ultra matt



Baccaro Oak 67208
1285 x 192 x 10 mm / ultra matt



La Solana Oak 63343
1285 x 192 x 10 mm / ultra matt



Forza 4V Borgo Oak



Forza 4V Moricone Oak



Cassino Oak 63344
1285 x 192 x 10 mm / ultra matt



Camedo Oak 67210
1285 x 192 x 10 mm / ultra matt



Newton Oak 67209
1285 x 192 x 10 mm / ultra matt



Moricone Oak 63349
1285 x 192 x 10 mm /brushed ultra matt

27.

STORY 4V

1285 x 192 mm



ABRASION
CLASS



USAGE
CLASS



GUARANTEE



THICKNESS



4-SIDED
BEVEL



ULTRA
MATT



BRUSHED
ULTRA MATT



RESIST SPILLS
UP TO 48H



Story 4V Austin Oak



Lorian Oak 53343
1285 x 192 x 12 mm / ultra matt



Medina Oak 53344
1285 x 192 x 12 mm / brushed ultra matt



Waldorf Oak 55233
1285 x 192 x 12 mm / ultra matt



Kolari 56130
1285 x 192 x 12 mm / brushed ultra matt



Rovertto Oak 55675
1285 x 192 x 12 mm / brushed ultra matt



Harvest Oak 55972
1285 x 192 x 12 mm / brushed ultra matt



Austin Oak 55234
1285 x 192 x 12 mm / brushed ultra matt



Story 4V Medina Oak



Story 4V Rovertto Oak

28.

SUPREME 4V

1285 x 192 mm



ABRASION
CLASS



USAGE
CLASS



GUARANTEE



THICKNESS



4-SIDED
BEVEL



BRUSHED
ULTRA MATT



RESIST SPILLS
UP TO 48H



Supreme 4V Merlo Oak



Sella Oak 63167
1285 x 192 x 12 mm / brushed ultra matt



Veneto Oak 63174
1285 x 192 x 12 mm / brushed ultra matt



Evora Oak 65791
1285 x 192 x 12 mm / brushed ultra matt



Merlo Oak 63172
1285 x 192 x 12 mm / brushed ultra matt



Casera Oak 63168
1285 x 192 x 12 mm / brushed ultra matt



Rocca Oak 63169
1285 x 192 x 12 mm / brushed ultra matt



Supreme 4V Veneto Oak



Supreme 4V Veneto Oak

29.

EXTREME 4V

1285 x 158 mm
1285 x 192 mm



ABRASION
CLASS



USAGE
CLASS



GUARANTEE



THICKNESS



4-SIDED
BEVEL



ULTRA
MATT



BRUSHED
ULTRA MATT



RESIST SPILLS
UP TO 48H



Extreme 4V Tolpeo Oak



Tortima Oak 69046
1285 x 192 x 12 mm / brushed ultra matt



Guanare Oak 54748
1285 x 158 x 12 mm / ultra matt



Prego Oak 54750
1285 x 158 x 12 mm / ultra matt



Extreme 4V Guanare Oak




Breyton Oak 54751
1285 x 158 x 12 mm / brushed ultra matt



Extreme 4V Prego Oak



The unique system provides reliable water resistance by preventing water from entering the joints.



LLT | anti scratch **LLT** | anti static

LLT surface, which guarantees a great appearance of the floor surface even with intensive exploitation. Safety for allergy sufferers - no dust at home! A special anti-static layer prevents the formation of electric charges on the surface.

antibacterial⁺
by CLASSEN

The surfaces of CLASSEN laminate floors have a strong antibacterial effect. It therefore awards CLASSEN laminate the «Antibacterial» certificate according to ISO 22196.

 Friendly to warm water and electric underfloor heating systems.

OUR SURFACE STRUCTURE

Our surfaces are designed to combine aesthetics with performance. Each texture has its own unique character and functional benefits.

SCAN & SEE
our shorts video



 **Brushed ultra matt texture**

A distinctive surface with tactile grain that enhances the natural character of wood

Tactile grain
Follows the natural wood pattern

Textural depth
Noticeable surface structure under touch




 **Stone texture**

A rough, natural surface inspired by authentic stone with subtle irregularity

Natural roughness
Authentic stone-like texture

Durability
Resistant to everyday wear and use



 **Ultra matt texture**

A soft, velvety surface with a refined, contemporary appearance

Velvety soft touch
Smooth and pleasant to the touch

Modern aesthetic
Clean, minimal and elegant surface

 **WHICH SURFACE IS RIGHT FOR YOU?**

Choose **Brushed** for a warm, natural wood feeling with a pronounced structure.
Choose **Stone** for a raw, timeless look with authentic character.
Choose **Ultra Matt** for a modern, minimalistic interior with a soft, elegant touch.

**Beauty you can see.
Quality you can feel**

31. BENEFITS

Technical precision, design diversity, and sustainable quality

Made in Germany, Classen laminate flooring offers a wide range of formats, from classic wide planks to modern tile looks to elegant herringbone patterns.

Innovative installation systems ensure quick, secure, and easy fitting, while advanced surface technologies developed at our high-tech facility in Baruth provide exceptional durability, scratch resistance, and long-lasting performance, even under heavy use.



EASY-CARE
SURFACE



ABRASION- AND
SCRATCH-RESISTANT



RELIABLY
WATER-RESISTANT



AUTHENTIC DESIGN
AND A NATURAL
FEEL



DIY-FRIENDLY: QUICK AND EASY
TO INSTALL WITH
A CLICK SYSTEM



CERTIFIED WOOD-BASED
RAW MATERIALS
FROM GERMANY

FORMATS

The right size for your room

At CLASSEN, you'll find **various plank formats** — from classic wide planks to the trendy tile look. Each format creates a unique spatial effect – tailored to your style, room size, and living experience.



32. SMART DETAILS



THOUGHTFUL DETAILS. REAL ADVANTAGES

We continuously improve our products to provide more comfort, flexibility and long-lasting performance



V-GROOVE OPTIONS
Choose a contrasting or subtle V-groove effect

The same decors are available with a choice of contrasting V-groove for a distinctive look or a subtle V-groove that blends seamlessly with the surface.



CONTRASTING V-GROOVE



NEARLY INVISIBLE V-GROOVE



FLOOR HEATING
Maximum comfort

Our floors are fully compatible with underfloor heating systems, providing warmth and comfort all year round.

EFFICIENT HEAT CONDUCTION

Optimized structure for fast and even heat transfer.

ENERGY SAVING

Lower energy consumption, higher efficiency.

EVEN HEAT DISTRIBUTION

Stable and consistent warmth across the entire floor.


DURABLE AND SAFE

High dimensional stability and resistance to temperature changes.




LARGER SURFACE
Without Dilatation

Thanks to improved dimensional stability,our floors allow for larger installation areas without the need for expansion joints.



MAX WITHOUT DILATATION
ALL LAMINATE COLLECTIONS



MAX WITHOUT DILATATION
FEEL GOOD COLLECTION

33. CLEANING

Cleaning Laminate Flooring

CLASSEN Laminate floors are easy to maintain, durable, and sturdy —ideal for everyday life in your home. With the right tips, your floor will stay beautiful for many years—without harsh cleaning products or a lot of effort.



DAILY CLEANING

Vacuum or sweep your floor with a **soft brush** or a tool with a **hardwood floor attachment**. This gently removes dust, crumbs, and pet hair.



WET MOPPING

Wipe your laminate floor only **lightly damp** —that is, with a well-wrung-out cloth or mop. Too much water can damage your floor.



REMOVING STAINS

You can remove light stains with a **mild household cleaner**. Avoid abrasive cleaners or harsh chemicals—they can damage the surface.

SPECIAL REQUIREMENTS

HERE’S WHAT YOU SHOULD KNOW

Even if your floor is water-resistant, you should only **wipe it with a damp cloth**. The advantage: **Splashes won’t bother it as much** —ideal for the kitchen, hallway, or bathroom. Nevertheless, be sure **to wipe up any standing water immediately**.

Do’s & Don’ts

when caring for laminate flooring

WHAT YOU SHOULD DO:

- ✓ Use slightly damp mops
- ✓ Attach felt pads to the bottom of your furniture
- ✓ Use doormats at entrances to keep sand and moisture out.

WHAT YOU SHOULD AVOID:

- ✗ Do not use steam cleaners, and do not mop the floor until it is too wet
- ✗ Avoid standing puddles
- ✗ Avoid using stiff brushes, scouring pads, or microfiber cloths.



Heavy use

CHILDREN, PETS & EVERYDAY LIFE

- If there is heavy traffic from children or pets, we recommend:
- Sweep or vacuum regularly to remove dirt and pet hair.
 - Nail care for dogs and cats to prevent scratches.
 - Protection provided by carpets in high-traffic areas.
 - Felt pads under play furniture—especially in areas where the furniture is moved around a lot.



@ClassenFloorPoland
@ClassenFloorUkraine
@Classen.Group



classen_floor
classen_group



classen_floor



ClassenFloor
Instructions
and films



Classen Cloud
Download app
with our floors

www.classenfloor.com

Classen Floor Systems Sp. z o.o.

ul. Wyzwolenia
44-292 Zwonowice, Poland

+48 (32) 429 20 00
biuro@classenfloor.pl

CLASSEN Group

Werner-von-Siemens-Str. 18-20
56759 Kaisersesch, Germany

+49 2653 9800
info@classen.de

2026.07

The catalogue does not constitute an offer within the meaning of commercial law. Classen Floor Systems Sp z o.o. reserves the right to change and improve the products presented in this publication without prior notice. Information contained in this catalogue is correct at the time of publishing.

Colours presented in this catalogue may differ from the products that are on sale.